







Features

- Commercial grade solar light
- Requires 10-12 hours initial charging prior to use
- 10 to 12 hour light output
- Mounting Height 3 to 4 metres
- Custom brackets, poles manufactured on request
- Ideal for security and illuminating larger areas
- Auto PIR* operation
- High quality inbuilt lithium battery
- Warranty: 1 yeawarranty for faulty workmanship or component failure not influenced by external means

Specifications SOLL008

Finish Powdercoat satin natural

• Charge Time 6-8 hours

• CCT 6500K (cool white)

• Size 260H x 200W x 42Dmm

• Brightness Approx. 600 lumen output

Solar Panel 16V 6watts

Solar Panel Size 2300H x 185Wmm

• Light Source 40 high intensity CREE chips

• Battery Inbuilt LifePO4 battery

Material Aluminium, polycarbonate diffuser

What is a Lumen?

In simple terms, lumens are a measure of the total amount of visible light from a lamp or light source. The higher the lumen rating, the "brighter" the lamp will appear.

How does this compare with other light sources?

Familiar examples • A typical 4 x D cell battery maglite will emit approx. 70 lumens

* The P.I.R. (passive infrared) sensor is activated by movement and acts as a power saving feature. The flood light will operate at 50% output until the PIR is activated, where it will operate at 100% until no movement is detected returning to 50% output.

