

**Features**

- Commercial grade solar lighting
- Requires 10-12 hrs charge prior to use
- 10 - 12 hours light output per night
- High quality inbuilt lithium battery
- Attractive modern design
- Ideal for illuminating paths and walkways
- Automatic light sensor turns LEDs on and off for dusk to dawn operation
- Warranty: 3 year warranty for faulty workmanship or component failure not influenced by external means

**Specifications** Pole SOLPOLE010, Wall SOLWALL010, Pillar SOLPILLO10, Bollard SOLBO10


- |                |                          |                    |                                     |
|----------------|--------------------------|--------------------|-------------------------------------|
| • Colour       | Powdercoat satin black   | • Solar Panel      | 9V 6watts                           |
| • Charge Time  | 4-6 hours                | • Solar Panel Size | 230H x 230Wmm                       |
| • CCT          | 4000K (cool white)       | • Light Source     | 36 high intensity LEDs              |
| • Bollard Size | 800H x 275Wmm (top)      | • Battery          | 74V/4400mah inbuilt lithium battery |
| • Brightness   | Approx. 350 lumen output | • Material         | Aluminium, polycarbonate diffuser   |

**What is a Lumen?**

In simple terms, Lumens are a measure of the total amount of visible light from a lamp or light source. The higher the lumen rating, the "brighter" the lamp will appear.

**How does this compare with other light sources?**

- Familiar examples
- A typical 4 x D cell battery maglite will emit approx. 70 lumens
  - The average hardware style path light using 2-3 LEDs emits 15-18 lumens
  - A 25W incandescent globe emits approximately 160 lumens



**1300 76 52 65**

www.solarbollards.eco

sales@solarbollards.eco

